



APPIA ife.

Appia Life is created based on the success of the Appia. With its high productivity and high performance, this machine is appreciated by thousands of coffee shop worldwide.









A GUARANTEE OF SUCCESS

THE IDEAL MACHINE THAT EASILY AND SIMPLY PREPARARES GREAT DRINKS

Appia Life has been studied for those who want a simple and trustworthy machine. It is the perfect coffee machine for large companies, coffee shop chains or wherever there is a need to prepare an abundance of great coffee and to be cost-effective.

Appia life is the coffee machine with which young talents become professional baristas; it is the machine that coffee shop chains handle every day to easily and quickly prepare coffees and cappuccinos. It is the means to make an excellent drink, and anyone can use it.





It is called Appia Life because it is **the coffee machine for life**: it never abandons you!






PRODUCTIVITY & CONSISTENCY

ENERGY SAVING

ERGONOMICS

EVEN MORE ADVANCED



PRODUCTIVITY & CONSISTENCY

PRODUCTIVITY & CONSISTENCY

UP TO 250 CAPPUCCINOS*

Appia Life guarantees high daily productivity and an even more consistent result in the cup.

The **SIS SYSTEM** optimizes the extraction and compensates any tamping errors so that it reduces waste and makes regularly perfect coffees.

The significant variation of the machine is the introduction of the **EASY CREAM TECHNOLOGY** that allows the automatic frothing of the milk. The double wand froths the milk and stops just as it reaches the preset temperature.



... IN A SIMPLE AND FAST WAY











Soft Infusion System

PROBLEM

- UNEVEN AND UNDER-EXTRACTED COFFEE

SOLUTION

- SOFT INCREASE OF WATER PRESSURE

BENEFITS

- MAXIMUM EXTRACTION EFFICIENCY
- PREVENT CHANNELING





Easycream

PROBLEM

- LOW SKILLED BARISTA
- DELIVERY LARGE AMOUNTS OF CAPPUCCINO

SOLUTION

- AUTO-STEAMER WITH AIR-STEAM COMPRESSOR
- ADJUSTABLE TEMPERATURE PROBE
- VORTEX GENERATOR NOZZLE

BENEFITS

- CONSISTENT HIGH-QUALITY FROTH
- FLEXIBILTY IN PREPARING DIFFERENT TYPE OF CREAM
- FASTER PREPARATION





ENERGY SAVING & COST EFFECTIVE




ENERGY SAVING

-13% ENERGY CONSUMPTION

The **boiler** of the Appia Life has **DRYTEX THERMAL technology insulation** that **reduces 13% of energy consumption** compared to the Appia II, and it comes as standard series in the whole range of the machine.

Appia Life guarantees a **20% reduction in environmental impact.** The LCA [Life Cycle Assessment] analysis confirms that the Appia Life with its new thermal system, new materials, and general optimization of the mechanical components, has 20% less environmental impact compared to the Appia II.



-20% ENVIRONMENTAL IMPACT








Drytex material



To insulate the boiler, we chose to use the innovative **Drytex** material. It is made of a combination of hygroscopic fibers capable of offering excellent thermal insulation and increase the performance of the product.

The material is the same used on sports apparel; the special **Drytex** fabric has sockets that trap the air, thus guaranteeing isolation.





Insulated boiler

PROBLEM

- HEAT DISPERSION
- HIGH ENERGY CONSUMPTION

SOLUTION

- INNOVATIVE INSULATING MATERIAL

BENEFITS

- -13% ELECTRIC ENERGY CONSUMPTION





LCA analysis

Life Cycle Assessment is a structured and standardized method used worldwide that quantifies the potential impacts on the environment and human health associated with the use of a product, starting with respecting resources and emissions.



VS











LCA analysis







ERGONOMICS



ERGONOMICS

GREAT COMFORT MEANS...

We believe that in Nuova Simonelli, the best way to reach excellence is to increase simplicity and make user-friendly products. Our positive approach has always pushed us to improve and study the best way to facilitate the barista in his job.

Appia Life makes productivity even more efficient thanks to its ergonomic style, improving the service speed, and assisting the barista in day-to-day performances.

... HAPPY BARISTAS



Ergonomics features



REVERSE MIRROR

This feature allows the barista to check the coffee dripping and cleanliness of the filter holder from a much more comfortable position.



ALIGNED CUP WARMER

The cup warmer is aligned with the top of the machine. Thanks to this feature, the user has a more comfortable reach and speeds up the working process.



PUSH BUTTON PANEL

The push-button panel has been re-created to be user friendly and more resistant in the long run.



EASY MAINTENANCE

Appia Life has been designed to be more efficient when it conses to maintenance. The complete new style of the machine facilitates the user in any operations routine. Its new adjustable nozzle attachment, new side opening system and redesigned groups, are all features that allow it to be majorly efficient.









EVEN MORE ADVANCED



TFT display

The new XT version completes the Appia Life machines family, available in 2 and 3 groups in the volumetric version (5 dispensing keys per group).

The performance remains unchanged compared to the 2 and 3 group Appia Life models, but the Appia Life XT has evolved in the form and in the innovative details that improve the final results.

DISPLAY 1,5" (22X42mm) features:

- DOSE PROGRAM
- CLEANING
- COUNTERS
- DISPLAY AND BUTTONS
- SETTINGS
- PRESSURE SENSORS

Note: display not touch









POSSIBILITY TO SET ITEMS MANUALLY OR BY DISPLAY





TFT display **DOSE PROGRAM**

- BREW TIME
- TEMPORIZED CUPWARMER











TFT display **COUNTERS**

- COUNTERS FOR SINGLE ITEM
- TOTAL COUNTERS
- RESET









Remote control*

The remote control function is one of the newest features of Appia Life. It helps the user control and manage the machine from a remote device.

PROBLEM

- COLLECT INFORMATION ABOUT SEVERAL OUTLETS

SOLUTION

- WI-FI, CLOUD-BASED DATA TRANSMISSION OF
- REAL-TIME INFORMATION

BENEFITS

- CONTROL RISK OF MECHANICAL BREAKDOWN
- REPORT ON OUTLET PERFORMANCE
- ANALYSIS OF OPERATIONAL INFORMATION





^{*}Remote control not yet available



NEW DESIGN

The Appia Life empowers a stronger connection between machine and barista. The new stylish design allows the coffee machine to be suitable for any arrangement.

With the edition of two chrome bands wrapped around the rear panel, the machine radiates a serene fascination.









Lower profile: -3cm

498mm











Colours

| XT | STANDARD |
|---------|---|
| PAINTED | PAINTED |
| PAINTED | PRINTED 1 AND 2 GROUPS AND COMPACT PAINTED 3 GROUPS |
| PAINTED | PAINTED |

COLOUR CUSTOMIZATION

- MINIMUM ORDER: 100 pieces
- PAINTING ON STANDARD BASE (white, red or black)





Functional features XT version



Functional features STANDARD version



The family expands



APPIA LIFE XT

| VERSION | | XT 2 GROUPS | XT 3 GROUPS |
|----------------|-----------------------|--------------------------------|------------------------------|
| MODEL | | Volumetric | Volumetric |
| BODY | MATERIAL . | stainlesssteel with ABS | stainlesssteel with ABS |
| BOILER | TOTAL CAPACITY | 11lt | 15lt |
| | NSULATION | included | included |
| | PRESSURE SENSORS - | included | included |
| GROUP | RAISED GROUPS | optional | optional |
| | LED LIGHTS | included | included |
| STEAM | EASYCREAM | optional | optional |
| | COOL TOUCH STEAM WAND | optional | optional |
| HOT WATER | N.WAND | 1 | 1 |
| | ECONOMIZER | optional | optional |
| CUPWARMER | ON/OFF ELECTRIC | optional | optional |
| RAIL | | optional | optional |
| REMOTE CONTROL | | optional | optional |
| DISPLAY | | included | included |
| DIMENSION | WxDxHmm | 784 x 545 x 498 | 1014 x 545 x 498 |
| WEIGHT | NET/GROS KG | 54/66 | 72/85 |
| POWER | VOLTAGE | 220-240V 50+-60Hz 380-415V V3N | 220-240V 50+-60Hz 380-415V V |
| | MAXIMUM POWER | 3350 | 5400 |









APPIA LIFE STANDARD 2-3 GROUPS

| VERSION | | 2 GROUPS | | 3 GROUPS | |
|-------------------|--------------------------|-----------------------------------|-----------------------------------|--|---|
| MODEL | | Semi-automatic | Volumetric | Semi-automatic | Volumetric |
| BODY | MATERIAL | stainlesssteel with ABS | stainlesssteel with ABS | stainlesssteel with ABS | stainlesssteel with ABS |
| BOILER | TOTAL CAPACITY | 11lt | 11lt | 15lt | 15lt |
| | INSULATION | included | included | included | included |
| GROUP | RAISED GROUPS | optional | optional | optional | optional |
| STEAM | EASYCREAM | | optional | | optional |
| | COOL TOUCH STEAM WAND | optional | optional | optional | optional |
| HOT WATER | N. WAND | 1 | 1 | 1 | 1 |
| | ECONOMIZER | optional | optional | optional | optional |
| CUPWARMER | ON/OFF ELECTRIC | | optional | | optional |
| RAIL | | optional | optional | optional | optional |
| REMOTE CONTROL | | | optional | | optional |
| DIMENSION | WxDxHmm | 784 x 544 x 500 | 784 x 544 x 500 | 1014 x 544 x 500 | 1014 x 544 x 500 |
| WEIGHT | NET/GROS KG | 54/66 | 54/66 | 72/85 | 72/85 |
| POWER | VOLTAGE | 220-240V 50+-60Hz 380-415V V3N | 220-240V 50+-60Hz 380-415V V3N | 220-240V 50+-60Hz 380 - 415V V3N | 220-240V 50+-60H 380 - 415V V3N |
| | MAXIMUM POWER | 3350 | 3350 | 5400 | 5400 |









APPIA LIFE STANDARD COMPACT



| VERSION | | COM | PACT |
|----------------|-----------------------|-----------------------------|-----------------------------|
| MODEL | | Semi-automatic | Volumetric |
| BODY | MATERIAL | stainless steel with ABS | stainless steel with ABS |
| BOILER | TOTAL CAPACITY | 9,5lt (7,5) | 9,5lt (7,5) |
| | INSULATION | included | included |
| GROUP | RAISED GROUPS | optional | optional |
| STEAM | EASYCREAM | | optional |
| | COOL TOUCH STEAM WAND | optional | optional |
| HOT WATER | N. WAND | 1 | 1 |
| | ECONOMIZER | optional | optional |
| CUPWARMER | ON/OFF ELECTRIC | optional | optional |
| REMOTE CONTROL | | | optional |
| DIMENSION | W x D x H mm | 554 x 545 x 498 | 554 x 545 x 498 |
| WEIGHT | NET/GROS KG | 42,5/ | 42,5/ |
| POWER | VOLTAGE | 220-110V | 220-110V |
| | MAXIMUM POWER | 2800-1700 | 2800-1700 |





APPIA LIFE STANDARD 1 GROUP

| VERSION | | 1 GF | ROUP |
|----------------|-----------------------|-----------------------------|-----------------------------|
| MODEL | | Semi-automatic | Volumetric |
| BODY | MATERIAL | stainless steel with ABS | stainless steel with ABS |
| BOILER | TOTAL CAPACITY | 4.4 [5] | 4,4 [5] |
| | INSULATION | included | included |
| | PRESSURE SENSORS | | |
| GROUP | RAISED GROUPS | included | included |
| | LED LIGHTS | | |
| STEAM | EASYCREAM | | optional |
| | COOL TOUCH STEAM WAND | optional | optional |
| HOT WATER | N. WAND | 1 | 1 |
| | ECONOMIZER | optional | optional |
| CUPWARMER | ON/OFF ELECTRIC | | |
| REMOTE CONTROL | | | optional |
| DIMENSION | W x D x H mm | 404 x 545 x 498 | 404 x 545 x 498 |
| WEIGHT | NET/GROS KG | 32,7 | 32,7 |
| POWER | VOLTAGE | 220-110V | 220-110V |
| | MAXIMUM POWER | 2000-1200 | 2000-1200 |





